

HERACLES



H160 H160T

H160

Standard version

Introducing the H160: a lightweight and versatile machine designed for tight and confined spaces. It comes equipped with the Avant quickhitch system, allowing quick and easy attachment changes for added convenience. With a high steering angle and hydraulic motors on each wheel, it offers excellent maneuverability and reliable performance. Ideal for farms, construction sites, and other work areas, the H160 ensures efficiency and adaptability for a variety of tasks.



H160T

Telescopic version

We also offer the H160T: a machine that combines the agility of the H160 with an extended telescopic reach for handling elevated tasks. Lightweight and easy to transport on a trailer, it is equipped with the Avant quickhitch system for quick and versatile attachment changes. This makes it ideal for jobs that require extra height and precision. The H160T ensures excellent performance and adaptability across a wide range of applications, including farming, construction, and landscaping tasks. It's a reliable and efficient solution for completing both everyday and specialized jobs with ease.





The Avant quick hitch system, a standout feature of our H160 series, is designed to improve efficiency and simplify your workload. This system makes switching between attachments fast and easy, eliminating the need for time-consuming manual changes. It is built for versatility, supporting a wide range of tools to handle various tasks, from heavy-duty buckets for moving materials to pallet forks for stacking or specialized attachments for lifting hay bales.


Whether you're loading, transporting, stacking, or performing other everyday jobs, the H160 with the Avant quick hitch ensures smooth and precise operation. Its seamless functionality saves time and boosts productivity, making it a reliable tool for farms, construction sites, and landscaping projects. With this system, you can work more efficiently and take on a variety of tasks with ease.





Discover unmatched agility and performance with the H160 series, designed to make your work easier and more efficient. Its compact design and high steering angle allow it to navigate tight spaces with ease, making it the perfect choice for jobs in confined areas. Equipped with the versatile Avant quick hitch system, the H160 enables quick and easy attachment changes, so you can switch between tasks without losing time. Whether you're handling hay bales, moving materials, or performing other everyday tasks, the H160 ensures smooth operation and reliable performance. Built for versatility and efficiency, it's an indispensable tool for farms, construction sites, and other demanding work environments.





Technical data	H160
Engine model	YANMAR 3TNV76-KYT
Fuel type	Diesel
Cylinders	4
Displacement cc	1116
Emission standards	EU Stage V&EPA Tier 4 Final
Max engine output	17.8@2800rpm
Max engine torque	62.7~68.4@1800rpm
Cooling system	Water
Operating voltage	12 V
Battery	75 Ah
Operating weight	1 300 kg
Max tipping load	1 000 kg
Max lifting capacity	800 kg
Cab type	Canopy
Travel speed	0~20 km/h
Steering angle	45
Turn radius in/out	940/2030 mm
Standard tires	23x8.50-12nhs-4tl
Fuel tank capacity	40 L
Hydraulic oil tank capacity	50 L
Working hydraulic flow	40 L/min
Working hydraulic pressure	200 bar
Transmission type	Hydrostatic



Technical data	H160T
Engine model	YANMAR 3TNV76-KYT
Fuel type	Diesel
Cylinders	4
Displacement cc	1116
Emission standards	EU Stage V&EPA Tier 4 Final
Max engine output	17.8@2800rpm
Max engine torque	62.7~68.4@1800rpm
Cooling system	Water
Operating voltage	12 V
Battery	75 Ah
Operating weight	1 350 kg
Max tipping load	1 000 kg
Max lifting capacity	800 kg
Cab type	Canopy
Travel speed	0~20 km/h
Steering angle	45
Turn radius in/out	940/2030 mm
Standard tires	23x8.50-12nhs-4tl
Fuel tank capacity	40 L
Hydraulic oil tank capacity	50 L
Working hydraulic flow	40 L/min
Working hydraulic pressure	200 bar
Transmission type	Hydrostatic

Tire Options
23x8.50-12NHS-4TL
24x12.00-12NHS-4TL



The H160 sets the standard for agility and performance in compact machines. With its low weight and high steering angle, navigating narrow spaces is effortless. Equipped with the Avant quickhitch as standard, it's perfect for tasks requiring precision and strength. Hydraulic motors on each wheel and optimized hydraulic functions ensure compatibility with a variety of attachments.

The H160T boasts extended lifting height and reach capabilities. This makes it ideal for jobs that require working at height or reaching over obstacles. Despite its enhanced capabilities, it remains lightweight and easy to transport on a trailer, ensuring flexibility in deployment across different sites.

Webpage:
www.heracles.se

Email:
info@heracles-machinery.com

Click and watch:
[H160T Presentation](#)
[H160T Animation](#)
[H160 Animation](#)
[H160 Presentation](#)
[H160T In Action](#)

2026 - V1

HERACLES